



Material Safety Data Sheet

Product: **COMPRIBAND Impregnated Tapes.**

1. Product and Company Identification

Product Name: **Compriband Impregnated tapes.**

Suppliers: Tremco-illbruck Ltd.
Bentall Business Park
Glover
District 11
Washington
Tyne and Wear
NE37 3JD
☎ 0191 4190505
Fax: 0191 4192200
sales@tremco-illbruck.co.uk
www.tremco-illbruck.com

2. Hazards Identification

Not classified as hazardous during normal handling and use. Contact of impregnant with the skin may cause irritation in sensitised persons.

3. Composition/Information on Ingredients

A soft and flexible polyurethane foam impregnated with a UV stabilised water repellent compound, available with an acrylic adhesive applied to one side. Prior to use the adhesive is protected by removable siliconised paper. Compriband I and E are encapsulated in a plastic film.

4. First-aid Measures

Skin Contact:	Wash carefully using soap or a proprietary cleanser to remove.
Eye contact:	Irrigate to remove with copious amounts of water. Seek medical attention if irritation persists.
Inhalation:	Normal use of the product does not present a hazard.
Ingestion:	Seek medical attention if discomfort persists.
Treatment:	Treat symptomatically

5. Fire-fighting Measures

Extinguishing Media:	Water spray, foam, carbon dioxide or dry powder.
Further Information:	The product will burn if heated and/or exposed to sources of ignition. Burning produces dense black smoke and toxic gases. Fire fighters should use self-contained breathing apparatus when tackling the fire.

6. Accidental Release Measures

Collect up using mechanical means and place in a suitable container pending disposal.

7. Handling and Storage

Store in original packaging in a cool dry place away from direct sunlight. Do not expose to temperatures in excess of 35°C to prevent roll distortion. Keep out of reach of children.

8. Exposure Controls/Personal Protection

No special measures – use good hygiene. The use of a proprietary barrier cream will aid the removal of the impregnant compound should contact occur. Do not eat, smoke or drink during use. Wash hands thoroughly after use and before breaks.

9. Physical and Chemical Properties

Form:	Soft foam in strips compressed for winding in rolls.
Colour:	Anthracite or grey
Odour:	Negligible
Density:	110 - 120 kg/m ³
Flash Point:	Not available – non-flammable
Thermal Decomposition:	Commences at approx. 160°C.
Solubility in Water:	Insoluble.

10. Stability and Reactivity

Stable and unreactive during normal use. The impregnant component will dissolve when in contact with organic non-polar solvents.

11. Toxicological Information

No information at this time.

12. Ecological Information

No information at this time. In soil and water the material is only slowly biologically degradable.

13. Disposal Considerations

May be disposed of as normal waste as controlled landfill or incineration. Dispose of in accordance with local regulations.

14. Transport Information

Not classified as hazardous for road, rail, sea or air transport.

15. Regulatory Information

None currently known to apply.

16. Other Information

- The above information offered in good faith is based on our current knowledge and current legislation and as such the company reserves the right to periodically review and update the information presented. It is intended to describe the product from a user safety viewpoint. The information should not be construed as guaranteeing specific performance properties. Users should make their own assessment from the information supplied and advise site personnel accordingly.
- All technical chemical products can affect persons, especially those of a sensitive or allergic disposition. The wearing of appropriate personal protective clothing and safety equipment is recommended as a precaution. Persons with known sensitivity should avoid contact altogether. Always ensure that the application is appropriate for the product and that installation is carried out strictly in accordance with the directions for use.
- Users are advised to conduct their own tests in order to determine the suitability of the product for the intended purpose.
- Further advice on the recommended applications and limitations of this product may be obtained by contacting the Sales Office.